

Soft-Vu

ANGIOGRAPHIC CATHETERS



Angled SELECTIVE CATHETERS

Soft Radiopaque Tip


5 per Box




Hockey Stick 1



Hockey Stick 2



Kerns



Kumpe

High-Torque Shaft


Description	UPN	Description	UPN	Description	UPN	Description	UPN
4F / 65 cm / .038"	□ H787107140335	4F / 65 cm / .038"	□ H787107140345	4F / 65 cm / .035"	□ H787107338015	4F / 40 cm / .035"	□ H787107343015
4F / 100 cm / .038"	□ H787107140475	5F / 100 cm / .035"	□ H787107218025			4F / 65 cm / .038"	□ H787107140145
5F / 65 cm / .035"	□ H787107218055	5F / 100 cm / .038"	□ H787107218045			4F / 100 cm / .035"	□ H787107343025
5F / 100 cm / .035"	□ H787107218015					4F / 100 cm / .038"	□ H787107140215
5F / 100 cm / .038"	□ H787107218035					5F / 25 cm / .035"	□ H787107327075
						5F / 40 cm / .038"	□ H787107327025
						5F / 65 cm / .038"	□ H787107327015
						5F / 100 cm / .038"	□ H787107327035

Braided Ultra-Torque Shaft

4F / 100 cm / .035"	□ H787107325015	4F / 100 cm / .035"	□ H787107233025	4F / 65 cm / .035"	□ H787107339015
5F / 100 cm / .035"	□ H787107224065	5F / 65 cm / .038"	□ H787107224055		
5F / 100 cm / .038"	□ H787107224035	5F / 100 cm / .035"	□ H787107224025		
		5F / 100 cm / .038"	□ H787107224045		



MPA



MPB



Berenstein

High-Torque Shaft


*10 cm tip

4F / 65 cm / .038"	□ H787107140385	4F / 65 cm / .035"	□ H787107351015	4F / 65 cm / .038"	□ H787107140095
4F / 100 cm / .038"	□ H787107140525	4F / 65 cm / .038"	□ H787107140395	4F / 100 cm / .038"	□ H787107140165
6F / 90 cm / .035"	□ H787107357015	4F / 100 cm / .038"	□ H787107140535	4F / 110 cm / .035"	□ H787107236015
		5F / 65 cm / .035"	□ H787107350015	5F / 40 cm / .038"	□ H787107221055
				5F / 65 cm / .038"	□ H787107221045
				¹ 5F / 65 cm / .038"	□ H787107221085
				5F / 65 cm / .046"	□ H787107221065
				5F / 100 cm / .035"	□ H787107221015
				5F / 100 cm / .038"	□ H787107221025
				5F / 100 cm / .046"	□ H787107221075


Braided Ultra-Torque Shaft

**w/ 6 side holes

4F / 65 cm / .035"	□ H787107354015	5F / 65 cm / .038"	□ H787107349015	5F / 110 cm / .038"	□ H787107221035
4F / 100 cm / .035"	□ H787107354025			5F / 140 cm / .038"	□ H787107221095
5F / 50 cm / .035"	□ H787107355015			6F / 65 cm / .038"	□ H787107317025
¹ 5F / 65 cm / .035"	□ H787107356015			6F / 65 cm / .054"	□ H787107317015
5F / 80 cm / .035"	□ H787107355035			4F / 40 cm / .035"	□ H787107235035
¹ 5F / 100 cm / .035"	□ H787107356025			4F / 65 cm / .035"	□ H787107235025
5F / 100 cm / .038"	□ H787107355045			4F / 100 cm / .035"	□ H787107235015



Vertebral



Weinberg

High-Torque Shaft

*w/ 2 side holes

¹ 4F / 100 cm / .035"	□ H787107181015	5F / 100 cm / .035"	□ H787107336015	5F / 100 cm / .035"	□ H787107227015
¹ 4F / 100 cm / .038"	□ H787107140455			5F / 100 cm / .038"	□ H787107227025
¹ 5F / 100 cm / .035"	□ H787107193015			5F / 110 cm / .038"	□ H787107227055
¹ 6F / 100 cm / .038"	□ H787107205025			5F / 130 cm / .038"	□ H787107227075

Braided Ultra-Torque Shaft

*w/ 2 side holes

¹ 4F / 100 cm / .035"	□ H787107073015	5F / 100 cm / .035"	□ H787107335025	5F / 140 cm / .035"	□ H787107227065
¹ 5F / 100 cm / .035"	□ H787107087015	5F / 100 cm / .038"	□ H787107335015	6F / 100 cm / .038"	□ H787107113015
¹ 5F / 100 cm / .038"	□ H787107087025			6F / 110 cm / .038"	□ H787107113025

**Visceral
SELECTIVE
CATHETERS**

Soft Radiopaque Tip

5 per Box

High-Torque Shaft

¹Sos Omni 0 Mini

²Sos Omni 0 Jr.

³w/ 2 side holes

Braided Ultra-Torque Shaft

⁴w/ 4 side holes



Sos Omni⁰

Description	UPN
¹ 4F / 65 cm / .035" □	H787107115025
² 4F / 65cm / .035" □	H787107115015
4F / 80 cm / .038" □	H787107140235
5F / 80 cm / .035" □	H787107204075
5F / 80 cm / .038" □	H787107204085



Sos Omni 1

Description	UPN
4F / 80 cm / .038" □	H787107140245
5F / 80 cm / .035" □	H787107204025
³ 5F / 80 cm / .035" □	H787107320025
5F / 80 cm / .038" □	H787107204015
4F / 80 cm / .035" □	H787107114015
5F / 80 cm / .035" □	H787107120015
5F / 80 cm / .038" □	H787107120055



Sos Omni 2

Description	UPN
4F / 80 cm / .038" □	H787107140255
5F / 80 cm / .035" □	H787107204035
⁴ 5F / 80 cm / .035" □	H787107320015
5F / 80 cm / .038" □	H787107204055
4F / 80 cm / .035" □	H787107114025
⁴ 4F / 80 cm / .035" □	H787107114055
5F / 80 cm / .035" □	H787107120025
5F / 80 cm / .038" □	H787107120065



Sos Omni 3

Description	UPN
4F / 80 cm / .038" □	H787107140265
5F / 80 cm / .035" □	H787107204045
5F / 80 cm / .038" □	H787107204065
4F / 80 cm / .035" □	H787107114035
5F / 80 cm / .035" □	H787107120035
5F / 80 cm / .038" □	H787107120075



Mini Omni

Description	UPN
4F / 65 cm / .035" □	H787107358015
4F / 65 cm / .038" □	H787107140105
4F / 90 cm / .035" □	H787107185045
4F / 100 cm / .038" □	H787107140175
5F / 65 cm / .035" □	H787107197015
5F / 65 cm / .038" □	H787107197075
⁵ 5F / 65 cm / .038" □	H787107318015
5F / 90 cm / .035" □	H787107197045
5F / 90 cm / .038" □	H787107197105
4F / 65 cm / .035" □	H787107187015
5F / 65 cm / .035" □	H787107199015
5F / 65 cm / .038" □	H787107199035

High-Torque Shaft

⁶w/ 2 side holes




Hook 1

Description	UPN
4F / 65 cm / .035" □	H787107079015
5F / 65 cm / .035" □	H787107093015
5F / 65 cm / .038" □	H787107093035
4F / 65 cm / .035" □	H787107077015
⁷ 4F / 65 cm / .035" □	H787107077075
4F / 90 cm / .035" □	H787107077045
5F / 65 cm / .035" □	H787107091015
5F / 65 cm / .038" □	H787107091075
5F / 90 cm / .035" □	H787107091045
5F / 90 cm / .038" □	H787107091105
6F / 90 cm / .038" □	H787107105105

High-Torque Shaft


Braided Ultra-Torque Shaft

⁸w/ 2 side holes




Cobra 1

Description	UPN
4F / 65 cm / .035" □	H787107185015
4F / 65 cm / .038" □	H787107140105
4F / 90 cm / .035" □	H787107185045
4F / 100 cm / .038" □	H787107140175
5F / 65 cm / .035" □	H787107197015
5F / 65 cm / .038" □	H787107197075
⁵ 5F / 65 cm / .038" □	H787107318015
5F / 90 cm / .035" □	H787107197045
5F / 90 cm / .038" □	H787107197105
4F / 65 cm / .035" □	H787107077015
⁷ 4F / 65 cm / .035" □	H787107077075
4F / 90 cm / .035" □	H787107077045
5F / 65 cm / .035" □	H787107091015
5F / 65 cm / .038" □	H787107091075
5F / 90 cm / .035" □	H787107091045
5F / 90 cm / .038" □	H787107091105
6F / 90 cm / .038" □	H787107105105




Cobra 2

Description	UPN
4F / 65 cm / .035" □	H787107185025
4F / 65 cm / .038" □	H787107140115
4F / 90 cm / .035" □	H787107185055
4F / 100 cm / .038" □	H787107140185
5F / 65 cm / .035" □	H787107197025
⁵ 5F / 65 cm / .035" □	H787107318055
5F / 65 cm / .038" □	H787107197085
⁵ 5F / 65 cm / .038" □	H787107318025
5F / 90 cm / .035" □	H787107197055
5F / 90 cm / .038" □	H787107197115
6F / 65 cm / .038" □	H787107209085
6F / 90 cm / .035" □	H787107209055
4F / 65 cm / .035" □	H787107077025
⁷ 4F / 65 cm / .035" □	H787107077085
4F / 90 cm / .035" □	H787107077055
5F / 65 cm / .035" □	H787107091025
5F / 65 cm / .038" □	H787107091085
5F / 80 cm / .038" □	H787107091135
5F / 90 cm / .035" □	H787107091055
5F / 90 cm / .038" □	H787107091115



Cobra 3

Description	UPN
4F / 65 cm / .035" □	H787107185035
4F / 65 cm / .038" □	H787107140125
4F / 90 cm / .035" □	H787107185065
4F / 100 cm / .038" □	H787107140195
5F / 65 cm / .035" □	H787107197035
⁵ 5F / 65 cm / .035" □	H787107318045
5F / 65 cm / .038" □	H787107197095
⁵ 5F / 65 cm / .038" □	H787107318035
5F / 90 cm / .035" □	H787107197065
5F / 90 cm / .038" □	H787107197125
4F / 65 cm / .035" □	H787107077035
4F / 90 cm / .035" □	H787107077065
5F / 65 cm / .035" □	H787107091035
5F / 65 cm / .038" □	H787107091095
5F / 90 cm / .035" □	H787107091065
5F / 90 cm / .038" □	H787107091125



Hook 2

Description	UPN
4F / 65 cm / .035" □	H787107187025
5F / 65 cm / .035" □	H787107199025
5F / 65 cm / .038" □	H787107199045
6F / 65 cm / .038" □	H787107211045
4F / 65 cm / .035" □	H787107079025
5F / 65 cm / .035" □	H787107093025
5F / 65 cm / .038" □	H787107093045

High-Torque Shaft




Shepherd Hook 1

Description	UPN
4F / 65 cm / .035" □	H787107186015
5F / 65 cm / .035" □	H787107198015
5F / 65 cm / .038" □	H787107198035
4F / 65 cm / .035" □	H787107078015
5F / 65 cm / .035" □	H787107092015
5F / 65 cm / .038" □	H787107092035
6F / 65 cm / .038" □	H787107106035



Shepherd Hook 2

Description	UPN
4F / 65 cm / .035" □	H787107186025
5F / 65 cm / .035" □	H787107198025
5F / 65 cm / .038" □	H787107198045
4F / 65 cm / .035" □	H787107078025
5F / 65 cm / .035" □	H787107092025
5F / 65 cm / .038" □	H787107092045








Renal

Description	UPN
4F / 65 cm / .035" □	H787107188015
5F / 65 cm / .035" □	H787107200015
5F / 65 cm / .038" □	H787107200025
4F / 65 cm / .035" □	H787107080015
5F / 65 cm / .035" □	H787107094015
5F / 65 cm / .038" □	H787107094025





Braided Ultra-Torque Shaft





**Cerebral
SELECTIVE
CATHETERS**

Soft Radiopaque Tip

	 Sidewinder ST 1		 Sidewinder ST 2		 Straight Art.		 Straight Art. Tapered tip	
	Description	UPN	Description	UPN	Description	UPN	Description	UPN
5 per Box High-Torque Shaft *1.0 cm tip **1.5 cm tip *2.0 cm tip	4F / 65 cm / .038"	□ H787107140305	4F / 65 cm / .038"	□ H787107140315	*4F / 65 cm / .035"	□ H787107314015	*5F / 25 cm / .035"	□ H787107315095
	4F / 100 cm / .038"	□ H787107140415	4F / 100 cm / .038"	□ H787107140425	**4F / 65 cm / .035"	□ H787107314025	*5F / 40 cm / .035"	□ H787107315105
					**4F / 65 cm / .038"	□ H787107140155	*5F / 65 cm / .035"	□ H787107315025
					*4F / 90 cm / .035"	□ H787107314035	*5F / 90 cm / .038"	□ H787107315015
				**4F / 100 cm / .038"	□ H787107140225			
Braided Ultra-Torque Shaft	4F / 100 cm / .035"	□ H787107076055	4F / 100 cm / .035"	□ H787107076065	*4F / 130 cm / .035"	□ H787107315035	 Straight Art. 10 cm tip, No taper	
	5F / 100 cm / .038"	□ H787107090095	5F / 100 cm / .035"	□ H787107090115				6F / 100 cm / .054"
			5F / 100 cm / .038"	□ H787107090105			6F / 110 cm / .054"	□ H787107316015

High-Torque Shaft

	 Bentson 1		 Bentson 2		 Bentson 3		 Cherne	
High-Torque Shaft	4F / 100 cm / .035"	□ H787107190015	4F / 65 cm / .038"	□ H787107140285	4F / 100 cm / .035"	□ H787107190035		
	5F / 100 cm / .035"	□ H787107202015	4F / 100 cm / .035"	□ H787107190025	5F / 100 cm / .035"	□ H787107202035		
	5F / 100 cm / .038"	□ H787107202045	5F / 100 cm / .035"	□ H787107202025	5F / 100 cm / .038"	□ H787107202065		
			5F / 100 cm / .038"	□ H787107202055				
Braided Ultra-Torque Shaft	4F / 100 cm / .035"	□ H787107083015	4F / 100 cm / .035"	□ H787107083025	4F / 100 cm / .035"	□ H787107083035	5F / 69 cm / .035"	□ H787107352015
	5F / 100 cm / .035"	□ H787107097015	5F / 100 cm / .035"	□ H787107097025	5F / 100 cm / .035"	□ H787107097035		
	5F / 100 cm / .038"	□ H787107097045	5F / 100 cm / .038"	□ H787107097055	5F / 100 cm / .038"	□ H787107097065		

	 HeadHunter 1		 HeadHunter 3		 JB 1		 JB 2	
High-Torque Shaft *1 cm tip **3 cm tip *8.5 cm tip	4F / 65 cm / .038"	□ H787107140275	4F / 100 cm / .035"	□ H787107183025	**4F / 65 cm / .038"	□ H787107140355	**4F / 65 cm / .038"	□ H787107140365
	4F / 100 cm / .035"	□ H787107183015	5F / 100 cm / .035"	□ H787107195025	**4F / 100 cm / .038"	□ H787107140495	**4F / 100 cm / .038"	□ H787107140505
	4F / 100 cm / .038"	□ H787107140405	5F / 100 cm / .038"	□ H787107195045	**5F / 100 cm / .035"	□ H787107342015	*5F / 100 cm / .035"	□ H787107342025
	5F / 100 cm / .035"	□ H787107195015	6F / 100 cm / .035"	□ H787107207025	**5F / 130 cm / .038"	□ H787107342085	*5F / 100 cm / .035"	□ H787107342045
	5F / 100 cm / .038"	□ H787107195035			*5F / 100 cm / .035"	□ H787107342055	*5F / 110 cm / .035"	□ H787107342035
	5F / 140 cm / .038"	□ H787107195055			*5F / 130 cm / .038"	□ H787107342075		
Braided Ultra-Torque Shaft	4F / 100 cm / .035"	□ H787107075015	4F / 100 cm / .035"	□ H787107075025	*4F / 65 cm / .035"	□ H787107340015		
	4F / 130 cm / .035"	□ H787107089065	5F / 100 cm / .035"	□ H787107089025	*4F / 100 cm / .035"	□ H787107340025		
	5F / 65 cm / .038"	□ H787107089055	5F / 100 cm / .038"	□ H787107089045	**4F / 100 cm / .035"	□ H787107340035		
	5F / 100 cm / .035"	□ H787107089015			*5F / 65 cm / .038"	□ H787107341015		
	5F / 100 cm / .038"	□ H787107089035			*5F / 100 cm / .035"	□ H787107341035		
				*5F / 100 cm / .038"	□ H787107341025			

Cerebral
**SELECTIVE
CATHETERS**

Soft Radiopaque Tip


5 per Box

High-Torque Shaft

[†]3 cm tip


^{††}4 cm tip

Braided Ultra-Torque Shaft



JB 3

Description	UPN
4F / 100 cm / .038" □	H787107140515
^{††} 5F / 100 cm / .035" □	H787107342065



Kerber

Description	UPN
5F / 100 cm / .035" □	H787107348015
4F / 100 cm / .035" □	H787107346015
5F / 100 cm / .038" □	H787107347015



Newton 1

Description	UPN
5F / 100 cm / .035" □	H787107203015
4F / 100 cm / .035" □	H787107084015
5F / 100 cm / .035" □	H787107098015




Newton 2

Description	UPN
4F / 100 cm / .035" □	H787107191025
5F / 100 cm / .035" □	H787107203025
4F / 100 cm / .035" □	H787107084025
5F / 100 cm / .035" □	H787107098025
5F / 100 cm / .038" □	H787107098055



Newton 3

4F / 100 cm / .035" □	H787107191035
5F / 100 cm / .035" □	H787107203035
5F / 100 cm / .038" □	H787107203065




Newton 5

4F / 100 cm / .035" □	H787107191045
5F / 100 cm / .035" □	H787107203075



Mani

4F / 65 cm / .038" □	H787107140295
4F / 100 cm / .035" □	H787107182015
4F / 100 cm / .038" □	H787107140445
5F / 100 cm / .035" □	H787107194015
5F / 100 cm / .038" □	H787107194025




Osborne 1

4F / 100 cm / .035" □	H787107329025
4F / 100 cm / .035" □	H787107084035
5F / 100 cm / .035" □	H787107098035
5F / 100 cm / .038" □	H787107098065


High-Torque Shaft

Braided Ultra-Torque Shaft



Osborne 2

4F / 100 cm / .035" □	H787107329015
5F / 100 cm / .035" □	H787107344015



Sidewinder 1

4F / 65 cm / .035" □	H787107184015
4F / 65 cm / .038" □	H787107196095
4F / 100 cm / .035" □	H787107184025
5F / 65 cm / .035" □	H787107196015
5F / 65 cm / .038" □	H787107196055
5F / 100 cm / .035" □	H787107196025
5F / 100 cm / .038" □	H787107196065
6F / 65 cm / .035" □	H787107208015
6F / 100 cm / .035" □	H787107208025



Sidewinder 2

4F / 100 cm / .035" □	H787107184035
5F / 100 cm / .035" □	H787107196035
5F / 100 cm / .038" □	H787107196075



Sidewinder 3

4F / 100 cm / .035" □	H787107184045
5F / 100 cm / .035" □	H787107196045
5F / 100 cm / .038" □	H787107196085

High-Torque Shaft

Braided Ultra-Torque Shaft

4F / 65 cm / .035" □	H787107076015
4F / 100 cm / .035" □	H787107076025
5F / 65 cm / .035" □	H787107090015
5F / 65 cm / .038" □	H787107090055
5F / 100 cm / .035" □	H787107090025
5F / 100 cm / .038" □	H787107090065
6F / 65 cm / .035" □	H787107104015

4F / 100 cm / .035" □	H787107076035
5F / 100 cm / .035" □	H787107090035
5F / 100 cm / .038" □	H787107090075
6F / 100 cm / .035" □	H787107104035
6F / 100 cm / .038" □	H787107104075

4F / 100 cm / .035" □	H787107076045
5F / 100 cm / .035" □	H787107090045
5F / 100 cm / .038" □	H787107090085

Visceral SELECTIVE CATHETERS

Soft Radiopaque Tip



Cobrita



Mikaelsson

5 per Box

High-Torque Shaft


Description	UPN	Description	UPN
5F / 25 cm / .035" □	H787107230745	4F / 90 cm / .035" □	H787107337015
5F / 40 cm / .035" □	H787107230425	5F / 80 cm / .038" □	H787107321015
5F / 65 cm / .035" □	H787107230185		




Levin



Rim



RC 1



RC 2

High-Torque Shaft

Braided Ultra-Torque Shaft

Description	UPN	Description	UPN
4F / 65 cm / .035" □	H787107328015	5F / 65 cm / .038" □	H787107334015
		4F / 65 cm / .035" □	H787107332015
		5F / 25 cm / .035" □	H787107334035
		5F / 40 cm / .035" □	H787107334025
		5F / 65 cm / .035" □	H787107333015
		Description <td>UPN</td>	UPN
		4F / 65 cm / .035" □	H787107333015
		5F / 65 cm / .035" □	H787107331015
		Description <td>UPN</td>	UPN
		5F / 65 cm / .038" □	H787107331025

FLUSH CATHETERS

Soft Radiopaque Tip

10 per Box

High-Torque Shaft


†Omni Flush Mini




Omni[†] Flush



Pigtail



Straight



Racket

4F / 65 cm / .035" □	H787107323015	4F / 65 cm / .035" □	H787107071015	4F / 65 cm / .035" □	H787107072015	4F / 65 cm / .035" □	H787107081015
†4F / 65 cm / .035" □	H787107323045	4F / 65 cm / .038" □	H787107140025	4F / 65 cm / .038" □	H787107140035	4F / 90 cm / .035" □	H787107081025
4F / 65 cm / .038" □	H787107140015	4F / 90 cm / .035" □	H787107071025	4F / 90 cm / .035" □	H787107072025	5F / 65 cm / .035" □	H787107095015
4F / 90 cm / .035" □	H787107323025	4F / 90 cm / .038" □	H787107140055	4F / 90 cm / .038" □	H787107140065	5F / 65 cm / .038" □	H787107095045
4F / 90 cm / .038" □	H787107140045	4F / 100 cm / .035" □	H787107071035	5F / 65 cm / .035" □	H787107086015	5F / 90 cm / .035" □	H787107095025
4F / 100 cm / .038" □	H787107140075	4F / 110 cm / .035" □	H787107071045	5F / 65 cm / .038" □	H787107086035	5F / 90 cm / .038" □	H787107095055
4F / 110 cm / .035" □	H787107323035	4F / 110 cm / .038" □	H787107140085	5F / 90 cm / .035" □	H787107086025	5F / 100 cm / .035" □	H787107095035
5F / 65 cm / .035" □	H787107322015	5F / 65 cm / .035" □	H787107085015	5F / 90 cm / .038" □	H787107086045	5F / 100 cm / .038" □	H787107095065
5F / 65 cm / .038" □	H787107322035	5F / 65 cm / .038" □	H787107085045	6F / 65 cm / .035" □	H787107100015		
5F / 90 cm / .035" □	H787107322025	5F / 90 cm / .035" □	H787107085025	6F / 65 cm / .038" □	H787107100035		
5F / 90 cm / .038" □	H787107322045	5F / 90 cm / .038" □	H787107085055	6F / 90 cm / .035" □	H787107100025		
5F / 100 cm / .038" □	H787107322055	5F / 110 cm / .035" □	H787107085035	6F / 90 cm / .038" □	H787107100045		
		5F / 110 cm / .038" □	H787107085065				
		5F / 130 cm / .038" □	H787107085075				
		6F / 110 cm / .035" □	H787107099035				
		6F / 110 cm / .038" □	H787107099065				

PHYSICIAN'S SIGNATURE

IMPORTANT RISK INFORMATION

INDICATION FOR USE: AngioDynamics Angiographic Catheters are designed for use where angiographic diagnosis is indicated.

CAUTION: Federal (USA) law restricts these devices to sale by or on the order of a physician.

CONTRAINDICATIONS: Angiographic Catheters should not be used for any purpose other than those indicated in the instructions.

WARNINGS AND PRECAUTIONS: This device is sterilized by ethylene oxide and is intended for single patient use only. Do not reuse or

resterilize. Contents sterile in unopened, undamaged package. Do not use if opened or any sign of product damage is visible. AngioDynamics Angiographic Catheters should be used only by physicians with a thorough understanding of angiography and percutaneous interventional procedures. Do not insert catheters directly through synthetic vascular grafts. Insert through a sheath introducer. AngioDynamics Angiographic Catheters are designed for use with specific guidewire diameters. The recommended

maximum guidewire diameter is specified on the catheter label. Optimal guidewire size and judicious use are recommended. Please see package insert for complete list of warnings and precautions.

POTENTIAL COMPLICATIONS: The following adverse reactions have been reported and are associated with the use of angiographic catheters: Thrombus formation, emboli, arterial wall damage, plaque dislodgment, hematoma, cardiac arrhythmias, myocardial infarction, stroke, and death.



USA > 14 Plaza Drive, Latham, NY 12110 > tel: 800-772-6446 or 518-798-1215 > fax: 518-798-1360
International > Haaksbergweg 75 (Margrietoren), 1101 BR, Amsterdam 2-0, Netherlands
tel: +31 (0)20 753 2949 > fax: +31 (0)20 753 2939

www.angiodynamics.com

*AngioDynamics, the AngioDynamics logo, Soft-Vu, SOS Omni and Omni are trademarks and/or registered trademarks of AngioDynamics Inc., an affiliate or a subsidiary. AngioDynamics, Inc. All rights reserved.

© 2015 AngioDynamics, Inc. MLC 065 US Rev R